

	Hits	Search Text	DBs
1	2907	713/171-172,192,200;380/44,283-285,262.ccls. and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT
2	48	S147 and ((long\$1term or "long term" or permanent) near (secret or value or key))	US-PGPUB; USPAT
3	34	S152 and ((short\$1term or "short term" or ephemeral or session or temporary) near (secret or value or key))	US-PGPUB; USPAT
4	12	S147 and (generat\$3 with ((long\$1term or "long term" or permanent) near (secret or symmetr\$2 or value or key)))	US-PGPUB; USPAT
5	3	S147 and (("session key" near3 deriv\$5) with (shared near2 secret))	US-PGPUB; USPAT
6	8	S147 and ((register\$3 or configur\$3) with ((cryptographic or trusted or secure\$1) near2 (co\$1processor or module or device or comppnent or facility))) and (generat\$3 near2 (secret or symmetric) adj (key or value))	US-PGPUB; USPAT
7	0	S147 and ("input/output control hub" or "i/o control hub" or ICH or "input/output controller" or "i/o controller") and ((cryptographic adj co\$1processor\$1) or (trusted near2 module) or (trusted near2 component))	US-PGPUB; USPAT
8	23	("input/output control hub" or "i/o control hub" or ICH or "input/output controller" or "i/o controller") and ((cryptographic adj co\$1processor\$1) or (trusted near2 module) or (trusted near2 component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	6	S158 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
10	17	((cryptographic or trusted or secur\$3) near2 (co\$1processor or module or device or component or facility)) same ((generat\$3 or creat\$3) near2 "secret key") and manufacture\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	11	"postal security device" and ((genera\$3 or creat\$3) near2 "secret key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	63	S147 and ((key or number or value) near3 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) same (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	15	("4278837"   "5022077"   "5144659"   "5289540"   "5359659"   "5421006"   "5444850"   "5448045"   "5450489"   "5465299"   "5479509"   "5500897"   "5666411"   "5699428"   "5835594").PN.	US-PGPUB; USPAT; USOCR
14	8	("5680131").URPN.	USPAT
15	14	((hash\$3 or one\$1way or "one way") near (successively or iteratively))	USPAT
16	23	grawrock-david-w.in.	US-PGPUB; USPAT
17	54	(generat\$3 or creat\$3) near3 ((long\$1term or "long term" or permanent or long\$1lived) near (secret or symmetr\$2 or value or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	25	S171 and ((short\$1term or "short term" or ephemeral or session or temporary) near (secret or value or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	6	"postal security device" with (integrat\$3 or component or platform)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	11	713/193;380/29,46.ccls. and ((cryptographic or trusted or secure\$1) near2 (co\$1processor or module or device or component or facility)) and (shared near2 "secret key")	US-PGPUB; USPAT

	Hits	Search Text	DBs
21	16	((cryptographic near2 (co\$1processor or module or device or component or facility)) and (generat\$3 near2 (secret or symmetric) adj (key or value)) and ((transmit\$3 or send\$3) near2 (key or value))) and platform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	17	("input/output control hub" or "i/o control hub" or ICH or "input/output controller" or "i/o controller") near5 key) and (encrypt\$3 or decrypt\$3 or cryptograph\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	2907	713/171-172,192,200;380/44,283-285,262.ccls. and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT
24	63	S177 and ((key or number or value) near3 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) same (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	405	(key or number or value) near2 (updat\$3 or creat\$3 or generat\$3 or deriv\$3) near5 (power\$1up or "power up" or start\$1up or "start up" or \$2boot\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	306	S183 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	228	S184 not booth\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	15	("4405826"   "4633388"   "4764959"   "4780840"   "4823308"   "4853884"   "4933898"   "5045675"   "5068894"   "5117380"   "5228084"   "5323338"   "5559889"   "5563950"   "5568552") .PN.	US-PGPUB; USPAT; USOCR

29	14	(key or number or value) near2 (updat\$3 or creat\$3 or generat\$3 or deriv\$3 or chang\$3 or modif\$5) near5 (reset\$3) with encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
----	----	--	---